INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited."

Abmodalities, human stature 334-338, 385
Abnormality 478
  Maize 476
  Man 325, 375-387
  Recessive to normality 471, 477, 478
Abnormal ratios 444
Abortive ovules, Phaseolus 188
Abortive root system, Oenothera 178, 179, 181
Abortive seeds, Oenothera 166, 170
Abutilon 513
Abutilon Darwinii 514, 515, 537
Achondroplastic dwarfs 346, 375, **379**, 380, 382
ACKERT, J. E. 78-81, *81*
Acromegaly 325
Adaptation 305, 306, 311, 312
ADKINS 522
Adolescence 320, 324
Aethionema grandiflora 518
African tribes, statures 322, 348, 349, 375
Age and reproductive ability, fowl **417**-432
Age differences, human stature 315
Agouti, mice 433
Akka Negrilloes, statures 322, 375
Albinism
  Maize 476
  Oenothera 164, 183
  Plantago 390-415
  Partial
    Mice 291-300
    Oenothera 391
    Plantago 390-415
Alcohol and reproductive ability 428
Allotypic division 251
Alyssum maritimum 518
Amaryllidaceae 508
Amaryllis belladonna 509
Amerindians, statures 346, 347, **375**, 376, 387
Analyzer 413
Anamites, length at birth 319
Anaphothrips striatus 487
Anatomy of seeds, maize 27
ANDERSON, E. G. 27
ANDERSON, VIRGINIA 314, 350
ANDERSON, W. S. 314
ANDÔ, M. 415
Anemophilous plants 507
Anglo-Saxons, height 339
Antagonism between gametes, mice 436
Anthothrips verbasci **480**-488
Anthropoid apes, short thigh 348
Anthropoid characters 374
Anthropological races 346, 373
Antirrhinum 29, 88, 261, 262, 410, 522
  Flower color 29
  Leaf color 410
Antirrhinum majus 522
Antirrhinum majus luteum striatum 261, 262
Antirrhinum molle 522
Aphid type of parthenogenesis 480, 487
Aquilegia 414
Ascidia, self-sterility in 522
Arrested development, Oenothera 240
Artificial selection 305
Asexual generations, heterosis in 472, 479
Association of characters (see also correlation and linkage)
  Maize 6
  Oenothera 231, 257
Assortative mating **124**, **125**, 126, **130**, **131**, **150**, **151**, **152**, **153**, **491**, **492**, **493**, **502**
Asymmetrical distribution 469, 478
Asymmetry, Phaseolus **205**
Atavism 262
Ateliotic dwarfs 322, 375, 379, **380**, 382
ATKINSON, GEO. F. **213**, *258*
Australian statures 346, 349, 353
Autocatalysis 604
Autohybridization 414
Avena sativa 471
BaBinga negroes, stature 352
Badeners, stature 348, 353
BAILEY, P. G. *389*
Bantam fowl 323
BARNUM, P. T. 382
Barred Plymouth Rock fowl 37, 417-432
BARRINGTON, AMY 315, 375, 381, *389*
BARROWS, H. R. 73, *77*
BARROWS, W. M. 298
BARTLETT, H. H. 216, *259*
BATESON, W. 316, *387*, 469, 514, 607, *607*

INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited."

Abmodalities, human stature 334-338, 385
Abnormality 478
  Maize 476
  Man 325, 375-387
  Recessive to normality 471, 477, 478
Abnormal ratios 444
Abortive ovules, Phaseolus 188
Abortive root system, Oenothera 178, 179, 181
Abortive seeds, Oenothera 166, 170
Abutilon 513
Abutilon Darwinii 514, 515, 537
Achondroplastic dwarfs 346, 375, **379**, 380, 382
ACKERT, J. E. 78-81, *81*
Acromegaly 325
Adaptation 305, 306, 311, 312
ADKINS 522
Adolescence 320, 324
Aethionema grandiflora 518
African tribes, statures 322, 348, 349, 375
Age and reproductive ability, fowl **417**-432
Age differences, human stature 315
Agouti, mice 433
Akka Negrilloes, statures 322, 375
Albinism
  Maize 476
  Oenothera 164, 183
  Plantago 390-415
  Partial
    Mice 291-300
    Oenothera 391
    Plantago 390-415
Alcohol and reproductive ability 428
Allotypic division 251
Alyssum maritimum 518
Amaryllidaceae 508
Amaryllis belladonna 509
Amerindians, statures 346, 347, **375**, 376, 387
Analyzer 413
Anamites, length at birth 319
Anaphothrips striatus 487
Anatomy of seeds, maize 27
ANDERSON, E. G. 27
ANDERSON, VIRGINIA 314, 350
ANDERSON, W. S. 314
ANDÔ, M. 415
Anemophilous plants 507
Anglo-Saxons, height 339
Antagonism between gametes, mice 436
Anthothrips verbasci **480**-488
Anthropoid apes, short thigh 348
Anthropoid characters 374
Anthropological races 346, 373
Antirrhinum 29, 88, 261, 262, 410, 522
  Flower color 29
  Leaf color 410
Antirrhinum majus 522
Antirrhinum majus luteum striatum 261, 262
Antirrhinum molle 522
Aphid type of parthenogenesis 480, 487
Aquilegia 414
Ascidia, self-sterility in 522
Arrested development, Oenothera 240
Artificial selection 305
Asexual generations, heterosis in 472, 479
Association of characters (see also correlation and linkage)
  Maize 6
  Oenothera 231, 257
Assortative mating **124**, **125**, 126, **130**, **131**, **150**, **151**, **152**, **153**, **491**, **492**, **493**, **502**
Asymmetrical distribution 469, 478
Asymmetry, Phaseolus **205**
Atavism 262
Ateliotic dwarfs 322, 375, 379, **380**, 382
ATKINSON, GEO. F. **213**, *258*
Australian statures 346, 349, 353
Autocatalysis 604
Autohybridization 414
Avena sativa 471
BaBinga negroes, stature 352
Badeners, stature 348, 353
BAILEY, P. G. *389*
Bantam fowl 323
BARNUM, P. T. 382
Barred Plymouth Rock fowl 37, 417-432
BARRINGTON, AMY 315, 375, 381, *389*
BARROWS, H. R. 73, *77*
BARROWS, W. M. 298
BARTLETT, H. H. 216, *259*
BATESON, W. 316, *387*, 469, 514, 607, *607*

BAUR, E. 256, *259*, 410, 413, *416*, 469, 477, *479*, 522, 525, 531, *607*
BAXTER, J. H. 373, *387*
BAYLISS, W. M. 94, *94*
Beak color, domestic fowl 38
Bean **186**-203, 250, **282**-290
BEATON, D. *607*
BECHHOLD, H. 94, *94*
BECKER, J. 315, *387*
Belgian statures 319, 352
BELLING, J. 344, *387*
BERNET, E. 509
Bi-colored tail, mice 298
BIDWELL, J. C. 509
Biennial forms, Oenothera 218, **239**
Bignonia 513
Bilateral symmetry **186**-204, **205**-212
Bimodal frequencies 41, 54
Biometric school 317
Biometry 326, 328
Binomial curve 344
Biotypes 343, 386, 387, 466
Biserial *r* **205**-212
Bisexuality 524
BLAKEMAN, J. 194, 195, *204*
BLAKESLEE, A. F. **36**-38, 65, 72, *77*
BLARINGHEM, L. 231, *259*
Blend hybrids, Oenothera 219, 220, 222-225, 227, 229, 230, 233, 234, 236-238, 246, 248, 251, 254-258
Blending inheritance 314
BOAS, F. 321, *387*
Body pigmentation
  Domestic fowl **36**-76
  Drosophila 456, 457, 461, 463-465
  Mice 291-300, 433-444
BONNEVIE, K. 301
BOVERI, TH. 301, *304*
Brace roots, maize 477
Brassica rapa 518
Breeding ability **417**-432
Breeding true to F_1 type 225, 241, 256, 390, 394, 404, 413
BRIDGES, C. B. *35*, 89, *95*, 302, 304, *304*, **445**, 457, *479*
BRIND, Z. *387*
Bristle modification, Drosophila 456
Broadening genes (eye shape) Drosophila 446, 452
Brother and sister mating 139, **496**, 500, **502**, 503
BROWNLEE, J. 317, *387*
Bud variations 262
Bugu, length of thigh 348
VON BÜLOW, 315
BURCK, W. 526, *607*
Burlingtonia 512
Bursa bursa-pastoris 393, 471
Bushmen, statures 352
Caducous bracts, Oenothera 233
Calabrians, statures 339
CANNON, W. A. 235, *259*
Cape Fear River immigrants 326
Capons 324
Cardamine pratensis 518, 519
Capsella bursa-pastoris (see Bursa) 393
Capsule-form, Capsella 393
CARD, L. E. 38, *77*
CARLISLE, T. *387*
CASTLE, W. E. 292, 293, 298, *300* 342, 344, 345, *388*, 433, 443, *444*, 506, 522, *607*
GATHERINE DE MEDICI 315
Cercis canadensis 282, 283
CHAMBERLAIN, M. M. 93, *94*
Changes in stature, man 348
Chiasmatype **82**-89, **301**-303
Chicory 525, 530
Chinese statures 348, 353
Chippewa Indians 376
Chiriguan Indian 347
Chirothrips manicatus 487, 488
Chloralbinos 413
Chlorophyll factors
  Maize 476, 477
  Plantago 393-415
Choctaw Indian, stature 376
Chromosome diagrams 604
Chromosome maps **455**
Chromosome theory 82-94, 273, 301-304, 433, 470
Cichorium intybus 525
Ciona intestinalis 506, 522
Cistus 509
Clones
  Heterosis 472, 479
  Intra-clonal sterility 518
  Selection 32, 34
Cockerel-pullet matings 425, 428, 430
Coefficients of correlation
  Fowl 52, 70, 71
  Man 345-348
  Phaseolus 196, 199, 208-210, 284, 288
  Rabbits 345
Coefficient of fecundity method 192, 198, 199, 201, 202, 210
Coefficients of variation
  Domestic fowl 41, 42, 424
  Man 343
COHNHEIM, O. 94, *94*
COLE, L. J. 298
Coleus 263
Color factor 434
Colorimetric methods 411, 412
Colorless pericarp, maize 9, 23, 24, 28, 30
Color patterns
  Maize 1-34, 260-283
  Mice 291-300, 433-443
  Plantago 390-415
COMES, O. 528, *607*
Competition 306
Complementary factors 237
COMPTON, R. H. 521, 522 524, 525, 597, *607*
Conditions of life 315
Consanguineous marriages 382
Constancy of unit factors 29
Constitutional factors 326

Constitutional vigor, poultry 419, 425
Contamination 32, 264, 279, 280
Contorted stems, maize 477
Convexity of leaves, Oenothera 231, 233, 256
Correlation
  Fowl, **36**, 54, 56, 62-65, 69, 70, **72**, 75, 419
  Man 319, 321, 323, 324, 345-348, 359
  Oenothera 169, 170, 184, 234, **237**
  Phaseolus 186, 188-196, 199, 203, 205-211, 282-289
  Rabbit 345
CORRENS, C. 29, *34*, *94*, 262, 263, *281*, 391, 411, 413, 414, *416*, 519, 520, 525, 555, 606, *607*
Corydalis cava 517, 518
Cotyledons variegated 390, 395
Coupled characters (see linkage)
Cow, milk fat 73
Creation of a new presence 455
Creek Indian, stature 376
Cretinism 324, 346, **375**, 378, 387
CROOM, J. D. 314
Cross fertilization 506, 507, 510, 524, 542
Cross fertility 518, 522, 540-545, 551, 553-555, 558, 565, 566, 569, 570, 575, 577, 579, 581-583, 585-586, 597, 598, 601, 602
Crossing over **82**-94, **301**-304, 477, 605
  Drosophila 446-448, 450-453, 456-465
  Oenothera 233, 253, 256, 257
Crossover values 90-92, 302, 303, 459
  Drosophila ampelophila
    Bar-fused 465
    Forked-bar 455
    Miniature-bar 465
    Miniature-forked 465
    Rudimentary-bar 465
    Rudimentary-fused 451, 463, 465
    Sable-deficiency 465
    Sable-forked 465
    Vermilion-bar 465
    Vermilion-forked 465
    Vermilion-miniature 465
    Yellow-bar 457
    Yellow-eosin **457**
    Yellow-forked 457
    Yellow-fused 457
    Yellow-miniature 457
    Yellow-rudimentary 457
    Yellow-sable 457
    Yellow-vermilion 457
    Yellow-white 457
    White-bar 465
    White-deficiency 465
    White-miniature 465
    White-vermilion 465
Cross-sterility 510, 512, 513, 517-520, 537, 542-607
CRUICKSHANK, LUCILE 314, 350
Cryptorchid 381
CUÉNOT, L. 433 *444*
Cumulative effect 270
Cumulative polymery 409, 411
Cural index 352
CUSHING, H. 324, 383, *388*, *corrigenda*
Cuttings 520, 532
Cytology of fertilization 248
DAFFNER, F. 318, 319, *388*
DALE, H. H. 325, *corrigenda*
DANFORTH, C. H. 99
DANIELS, A. L. 73, *77*
Darkening factor, mice 444
DARWIN, C. 305, 466, *479*, 508, 509, 510, 512, 513, 514, 515, 516, 517, 521, 523, 524, 526, 528, 530, 537, 606, *607*
Darwinism 306
DAVENPORT C. B. **313**, 317, 344, 347, *388*
DAVENPORT, W. E. 314
DAVIS, BRADLEY M. **155**, 156, 157, 158, 159, 162, 165, 166, 169, 170, 180, 181, 182, *185*, 250, *259*
Decreased vigor 527, 528, 571
Deficiency **445**-465
Degeneration (see also disintegration)
  Nuclear 252
  Pollen 169
  Somatic, from inbreeding 466
  Spermatozoa 486
Delayed germination 157, 165, 168, 169, 176, 179, 181, 184
DENIKER, J. 322, *388*
DETLEFSEN, J. A. 99, 140 *141*, 321, *388*
Development of stature **317**, 320, 348, **349**
DE VRIES, HUGO 29, *34*, 156, 157, 158, 159, 160, 161, 162, 164, 165, 166, 167, 168, 169, 170, 175, 179, 181, 182, 184, *185*, 216, 236, 246, 247, 249, 250, 251, 252, *260*, 261, 263, *281*
Dianthus barbatus 507, 510
Dianthus caryophyllus 507
Dianthus japonicus 510
Dichogamy 506
Differential vitality 607
Dimorphism 514, 517
Dinka negro 347
Dioecism 506
Discontinuity 206, 291
Disintegrating embryos
  Mice 434
  Oenothera 252
Disintegration of chromosomes 84
DOCK, G. 324, 325, *corrigenda*
Domestic fowl **36**-76, **417**-432
Dominance 466-479
  Complete dominance 253, 255, 273, 470
  Multiple dominance **255**, 258
  Normality over abnormality 471
  Partial dominance 255, 476, 478
  Permanent dominance 252, 253, 258
  Selective dominance 252
  Stable dominance **252**, 253, 258
  Unstable dominance **252**, 253
DONALDSON, Mr. 510

Dorsal pigmentation, mice 441, 442, 444
Double crossover 92, 302, 303, 453, 458, 464, 605
Double number of chromosomes 183
Double reciprocal crosses 156, **158-162**, 167-**171**, 174-**178**-**180-182**, 184 246
Downy mildew, susceptibility to 216
Draba verna 518
Drosera rotundifolia 235
Drosera longifolia 235
Drosophila ampelophila 82, 88, 89, 91, 531
  Bar-deficiency **445**-465
  Body color
    Sable 456, 457, 461, 463-465
  Eye color
    Eosin 447, 448, 456, 460, 462, 464
    Vermilion 447, 456-458, 464, 465
    White 445, 447, 448, 450, 456, 457, 463, 465
    White-eosin compound 447, 448, 456
  Eye shape 452, 455
    Bar 445-462, 464, 465
  Lethals 445-**447**-451, 458-463
  Spine form
    Forked 446-**449**-451, 456, 458-465
  Supernumerary legs 531
  Wing character
    Fused 449-451, 457, 459, 462-465
    Miniature 45-458, 464, 465
    Rudimentary 449, 451, 456-458, 462-465
Ducks 431
Ductless glands 323-325
DUNN, L. C. 433, *444*
Duplex number of factors, 472, 476, 478, 524
Duplication of factors
  Bursa 393, 471
  Drosophila 454
  Plantago 393-415
DURHAM, F. M. 433, *444*
Dwarfs
  Maize 477
  Man 315, 322, 324, 346, 373, **375**, 377-382, 387
  Oenothera 165, 170-175, 178-182, 184, *244*, 247, 250, 258
  Pisum 467-469
Dyspituitarism 383
EAST, E. M. 13, *35*, 235, 236, *259*, 262, 263, 264, 268, *281*, 344, *388*, 393, *416*, 466, 468, 469, 470, 471, 474, 476, *479*, **505**, 523, 524, 525, 526, 527, 528, 530, 531, 539, 541, 551, 555, *607*
ECKLES, C. H. 73
Effectiveness of selection 32
Egg membranes and self sterility 523
Egg production, domestic fowl **36**-76, 417-432
Elimination of chromosomes 84, 252
Elimination of genes 251, 451
Embryo length, man 318
EMERSON, R. A. **1**, 6, 10, 13, 15, 18, 26, 27, 28, 29, 30, *35*, 262, 263, 264, *279*, *281*, 344, *388*, 413, 414, *416*, 469, *479*
Endocrine glands 325
End-to-end conjugation 89
English statures 319, 352
Entelechy 305
Entomophily 507
Environment and human statures **323**, **325**, 326
Environment and reproductive ability 424, 425, 428, 430, 431
Environment and self sterility (see also pseudo self-fertility) 529, 530-537, 575, 599, 601
Epidemics 419
Epigenetic growth factors 382
Epigenetic variations 240
Epilepsy 382
Epistasis 433, 540
ESCHER, H. H. 73
Eschscholtzia californica 514
Eskimos, stature 346
Ether and reproductive ability 428
Etiolation (see also albinism) 164, 169, 174, 175, 178
Eversporting variety 262
Exceptions 328, 404, 407, 446-449, 486, 547, 548, 558, 560, 565, 575, 580, 581, 584, 587, 595, 598, 600
Experimental error 264, 407, 538, 600
EULER, H. 94, *94*
Eunuchs 323
Factorial constancy 31, 34, 525, 526
Factors of loss 307, 308
Factors for stature 344
Failure of dominance 438, 439
FAIRCHILD, THOS. 507
Family studies, stature in man **329**, **355**
Fasciation
  Maize 477
  Oenothera 217, 237-239
Fat absorption and deposition in eggs 73
Favorable and unfavorable characters 471, 477
F_1 breeds true 225, 241, 256, 390, 394, 404, 413
Fecundity 75, **186**-203, 205, 210, 290, 418, 420, 443, 444
Feeble-mindedness 382
Femur length 345, 348, 351, 355, 362, 364, 365, 366, 373-376, 378, 386
FERGUSON, MARGARET C. 248, *259*
Fertilized eggs yield females 483, 484, 486
Fertility (see also cross-fertility, pseudo-fertility, self-fertility) **186**-203, **205**-212, **282**-290, 418, 420, 429-431
Fertility index (see reproductive index) 430, 431
Fibula length 355, **357**, 363, 365, 366, **370**, 371, 373-376 378, 386
Fibonacci series **494**-496, 501, 50

Filial regression 340-344
FISHBERG, Dr. 373
FISHER, W. I. 5, 6
Fitness to survive 306
Flat-topped distribution 424
Fluctuation 177, 233, 240, 253, 305, 487, 488, 537, 602
FOCKE, W. O. 235, *259*, 466, *479*, 515, 518, 528, *607*
Fore-leg length, man 348
Formulae
  Advancing difference 207
  Breeding results **97**-154, 490-504
  Closeness of fit 407
  Correlation 49, 206, 283
  Crossing over 90, 303
  Double reciprocals and back-crosses 156
  Error of mean 393
  Natural selection 310, 311
  Number of intra-sterile classes 552
  Probable error of a determination 551
  Probable error of a difference 78
  Regression 50, 193
  Reproductive index for poultry 419, 420
  Selection index 419
FREDERICK the GREAT 315
French statures 315, 319, 352, 353
FRIEDRICH WILHELM 315
FRITSCH 347
Frog, grand period of growth 317
Fruitfulness (see also fertility and fecundity) 518
FUCHS, H. M. 522, 523, *608*
Funkia 248
Furrowedness of leaves, Oenothera 229, 230, 231, 233, 242, 256

GAGE, S. H. 73, 74, *77*
GAGE, S. P. 73, 74, *77*
GALTON, F., frontispiece, 316, 317, 322, 326, 340, 341, 344, *388*
Galtonia 248
GÄRTNER, K. F. 466, *479*, 510, 528, *608*
GATES, R. R. 240, *259*
GAVIN, LILLIE, 187
GAVIN, MARGARET 187
General developmental factors 326, 345, 349
German statures 352
Germinal disturbances (see mutation) 293
Germinal instability 280
Germinal variations (see mutation) 267, 278-280
Germination
  Oenothera 157, 162-165, 167-174, 176-184
  Plantago 399, 401, 403, 404, 406, 407
GIBSON, W. 195, *204*
Gigantism 324, **383**, 387
Gladiolus 235, 509
  Gandavensis 509
Gladiolus natalensis 509
Gladiolus oppositiflorus 509
GOLDSCHMIDT, R. **82**, 93, *94*, 252, *259*, 301, 302, 303, 304, *304*
Gonads, effect of secretions **323**
Gonotokonts 235
GOODSPEED, T. H. 344, *388*
Gossypium barbadense × *herbaceum* 235
Graduated characters 328, 344, 349
Grafting 510
Grand period of growth 317
GREGORY R. P. 514, 607, *608*
GROSS, S. 324, *389*
Growth, general factors 327, 349, 386
Growth-modifying factors 326, 328, 340, 344, 355, 367, 370, 380, 382, 385
Growth-modifying secretions 323-325, 382
GUIGNARD, L. 248, *259*
Guinea-pigs 437
Haploid tests **449**
HARRIMAN, Mrs. E. H. 314
HARRIS, J. ARTHUR **36**, 46, 48, *77*, **186**, 187, 193, *204*, **205**, 207, 210, 212, **282**, 283, *290*, 347
HARROWER, H. R. *388*
HARTLEY, C. P. 13, *35*
Harvard students, statures 345, 353
HAYES, H. K. 13, *35*, **261**, 262, 263, 264, 268, *281*, 344, *388*, *416*, 466, 467, 468, 469, 474, 476, *479*, 524, 526, 527, 531, 539, *607*
Head and neck length, man 349, 351, 355, **358**, 360, 364, 366, **371**-373-376, 386
Height (see also stature) 471
  Man **313**-387
  Peas 467-469, 478
Height of ankle 346
Hemiptera 486
HERBERT, WM. 508, *608*
HERIBERT-NILSSON, N. 391, *416*
Hesperis tristis 518
Heterogamous species 247
Heterosis 428, **466**-479, 515, 526, 527, 539, 549
Heterostylism 514
Heterozygosis, effects of (see heterosis)
Hidden recessive factors 327
HILDEBRAND, F. 515, 516, 517, 518, 519, *608*
HINDS, W. E. 487, *488*
Hippeastrum aulicum 508
Hippeastrum bulbulosum 508
Hippeastrum Johnsonii 508
Hippeastrum Johnsonii-pulverulentum 508
Hippeastrum Johnsonii-vittatum 508
Hippeastrum psittacino-Johnsonii 508
Hippeastrum reginae 508
Hippeastrum regio-vittatum 508
Hippeastrum rutilum 508
Hippeastrum solandriflorum 508

Hippeastrum vittatum 508
Hippeastrum vittato-Johnsonii 508
HOGE, Miss 531
Homomery 409, 412, 415
Honey-bee type of sex determination 480, 486, 487
HORTON 266
HRDLICKA, A. 349, *388*
HUBBELL, C. D. 265
Hugueninia tanacetifolia 518
Humerus length, rabbits, 345
HUNTER, ARTHUR 326
Hybrid vigor (see heterosis) 466
Hypophyseal activity (see also pituitary body) 383
Hypostasis 327, 433
Iberis pinnata 518
Idiosyncrasies of stature **359**, 364, 365, 387
Idiot 375
IKENO, S. **390**
Imbibitory stage 317, 318
Immunity 522
Imperfect dominance 391
Imperfect segregation 280
Inactivation 445, 449, 453
Inbreeding **139**, 236, 428, 466, 468, 477, 478, 490, 496, 500-504, 514, 524, 526 541, 550, 600, 606
Incompatibility 237, 536
Inconstant races
  Maize 262
  Oenothera 251
Increased variability in F_1 274, 276, 279, 280, 342
Increased variability in F_2 274, 550
Independent factors, numerical results **108**
Index of variability ($= \sigma$) 328, 342
Indians stature 349, **375**, 376, 387
Individuality of the chromosomes 84, 88, 89, 301
Individualstoffe 518, 519
Infants stature 318, 319, **373**, 375, 387
Infertile eggs, domestic fowl 418, 419, 420, 425, 430
Inhibiting factors 344, 386, 446, 453-455, 521, 523
Innate weakness, domestic fowl 419
Instability, germinal 274, 279, 280
Interaction of factors 444
Interference 303
Intergrading forms 233
Intermediate hybrids (see also blend hybrids)
  Maize 273, 276
  Mice 291, 294
  Oenothera 165-167, 171, 172, 174, 179, 180, 223-225, 233, 236, 252, 254
Intermediate eye-shape, Drosophila 446
Internal secretions **323**-325, 375
Intervertebral cartilages 316
Intra-sterile classes (see also self-sterility and cross-sterility) 547-606
Intensity factors 297
Irish statures 339
Iris siberica 248
Isogamous species 236, 247
Isolation of biotypes 265, 271, 278, 466
Italian statures 339, 350, 352, 381
Iterative hybrids 156, **165**, **166**-170, **173**, **174**-177, 182, **183**, 244-246
JANSSENS, F. A. 82, 89, 301
Japanese statures 319, 348, 353
JENNINGS, H. S. 81, *81*, **97**, 99, 115, 116, 118, 131, 139, *141*, 261, *281*, 306, 310, 311, 489, 491, 492, 493, 495, 496, 502, *504*, 549, 550, *608*
Jewish infants, stature 373
JOHANNSEN, W. 250, *259*, 261, 409, 411, 412, 415, *416*
JONES, D. F. **466**, 474, *479*, 527
JÖRGENSEN, M. 301, *304*
JOST, L. 518, 521, 525, 551, *608*
JUEL, H. O. 235, *259*
Kalmucks, statures 352
KAPLAN, BERTHA 529
KÄPPELI, J. 431, *432*
KEEBLE, F. 467, 468, 469, 478, *479*
KENT, O. B. 36, *77*
KIRCHNER, O. *608*
KIRKHAM, 434
KIRKPATRICK, W. F. **36**, 38, *77*
KNIGHT, T. A. 528
KNUTH, P. 506, *608*
KÖLREUTER, J. G. 466, *479*, 507, 527, 528, *608*
Kossacks, stature 352
KRAUS, E. J. 506, *608*
LANG, A. 344, *388*, 409, 410, *416*
Laplace-Gaussian law 206
Laplanders, stature 352
Latency 253-255
LECOQ, H. 512, *608*
Leghorn fowl 37, 66
Leg length, man 349, 351, 365, 375, 380
Legumes (see also Phaseolus) 507
LEHMAN-NITSCHE 347
Length of chromosome 446
Lethal factors
  Drosophila 445-**447**-451, 458-463
  Mice 435
  Oenothera 165
LEWIS, C. I. 518, *608*
LEWIS, H. R. 430, *432*
Lilium bulbiferum 518
Lilium martagon 248
LINDSTROM, E. W. 27
Linear arrangement 85, 302, 456
Linearity 194, 195
Linkage 83, 87, 90, 97-154, 304, **466**-479, 603, 604
  Drosophila 445-465
  Maize 28, 29
  Mice 444
  Oenothera 169, 177, 184, 231, 253, 256, 257

Linkage break (see crossover) 605
Linkage groups 470
Linkage ratio **100**, **104**-154
LINNAEUS, C. 215
Lipochrome pigments, domestic fowl 73
LITTLE, C. C. **433**, 434, 436, 437, 443, *444*
LLOYD, R. E. 299, *300*
Lobelia cardinalis 510
Lobelia fulgens 510
Lobelia syphilitica 510
Lobularia maritima 518
Localization of genes 446, 456, 457
Loci 93, 273, 302, 433, 446, 448-451, 454, 457
LOCKWOOD, EDNA 187
LOEB, J. 93, *94*, 467
Long internodes, peas 467
Loss of factors 445, 446, 449, 454
Loss of vigor 161
LOTSY, J. P. 522, 525, *608*
L-xanthophyll in domestic fowl 73
Lychnis dioica 410
LYELL, CATHERINE M. *388*
LYELL, CHARLES 315
MACDOWELL, E. C. 342, 344, *388*
MAC ELYEA, A. B. 383, *389*
Maize **1**-34, **261**-280, 321, 323, 413, 414. 468, 474, 476, 477, 531
  Albinism 413
  Anatomy of seeds 27
  Association of cob color and pericarp color 6
  Basal red 30
  Brindle flint 264, 266, table 1
  Bud sports (see also freak ears) 265, 266, 273-276, 279, 280
  Calico dent 262
  Color pattern 5, 29, 30
  Colorless cobs 23
  Colorless pericarp 9-11, 14, 15, 17, 19, 21-24, 28, 30, 33, 262, 263, 265, 266, 269-271, **276**, 277, 280
  Colorless crown spot 5, 13, 28
  Dark crown spot 5-11, 13, 14, 16, 18, 20, 22, 26, 27, 34
  Dent 262, 263
  Ear color, types **4**, 265-266
  Freak ears (see also bud sports) 4-7, 9, 16, 19, 28, 30, 31, 262, 273
  Linkage 29
  Mosaic pericarp (see also variegation) **261**-280
  Multiple allelomorphs 29-31, 34, 264, 278-280
  Mutation
    Self color to variegation **23**, 26, 30
    Medium variegation to light variegation 19, 20, 33
    Variegation to self color 1, 2, **9**, 14-16, 18, 25, 29, 30, 33
    Self red to white 30
  Seed color types **4**, 265, 266
  Self red cobs 9, 20, 23, 28, 29, 30
Maize (continued)
  Self red pericarp 1, 3, 5, 13, 20, 24, 29, 30, 262-269, 271, 273-276, 278, 279, 531
  Self orange pericarp 30
  Self white cobs 30
  Striped husks 5
  Types of ear color and seed color **4**, 265, 266
  Variegated cobs 4, 7, 9, 18, 20, 23, 30
  Variegated pericarp **1**-34, 261-280
  White-capped red 30
Male-female height ratio, man **322**, 327
Males rare, thrips 487
Mammals, fertility 418
Man **313**-387
  Achondroplasia 375, **379**, 380, 382
  Adolescence 320
  Anthropological races 346, 373
    Amerindians 347, 349, 375, 376, 387
    Anglo-Saxons 339
    Australians 346, 349, 352, 353
    Calabrians 339
    Chinese 348, 353
    Eskimos 346
    Europeans 348, 352, 353
    Japanese 348, 353
    Jews 352, 373
    Malays 352
    Mongoloids 352
    Negritos 375
    Negroes 322, 346-349, 352, 353, **373**-375, 387
    Sikhs 348
  Ateliosis 322, 375, 379, **380**, 382
  Biotypes 343, 365, 386, 387
  Cretinism 324, **375**, 378, 379, 382, 387
  Development of stature **317**, 348, **349**
  Dwarfism 322, **375**, 377, 387
  Environmental factors 325
  General developmental factors 326, 349, 386
  Gigantism **383**, 387
  Growth-modifying factors 326, 328, 340, 344, 355, 367, 370, 380, 382, 385
  Infants 319, 373, 387
  Inhibiting factors 344, 387
  Internal secretions **323**, 375, 383
  Particulate inheritance **365**
  Segments of Stature **349**, **359-365**, **367**, 387
  Femur 351, 362, 364, 373, 375
  Fibula **357**, 363, 364, **370**, 373, 375, 386
  Head and neck 349 351, **358**, 360, 364, **371**, 373, 375, 386
  Legs 349, 351, 365, 375, 380
  Torso 349, 351, 352, 354, **355**, 356, 361, 364-**367**-370, 373-375, 386
  Trunk 316, 346, 349, 351-353, 355, 375, 380, 386
  Selective mating **328**, 329
  Sexual difference in stature 319, **322**, 327
MARSHALL, F. H. A. 431, *432*

MARTIN, R. 318, 319, 346, 347, 348, 349, 350, 351, 352, 353, *389*
Mass studies of stature 317, **327**, **351**
Mathematics of breeding **97**-154, **489**-504
Matroclinous hybrids 166, 178, 247
Maturation division 447
Mawambi pigmies, stature 353
M'Baka negroes, stature 352
MCCORD, C. P. 324, *388*
Meadow mice 298
Measles and internal secretions 325
Menangkabau-Malays, stature 352
MENDEL, G. 316
MENDEL, L. B. 73, *77*, 323, 325, *389*, 517
Mendelian segregation **248**
Merogony 252
Metabolic stage of growth 318
METCALF, H. 235, *259*
Mice **291**-300, **433**-444
  Agouti 433-435
  Albinism **291**-294
  Black-eyed white **432**-444
  Black tail-stripe 292, 297-298, 299
  Dilute brown 437
  Gray-bellied agouti 433-435
  Multiple allelomorphs 433
  Mutation **291**-300
  Piebald 434-438, 439, 441-443
  Reddish eyes 292, 293
  Size of litters **443**, 444
  Spotting 298, **433**-444
  Tufts of white hair on head 298
  White-bellied agouti 433, 434
  White ears 292
  White snout 299, 300
  White star on head 298
  White-tipped tail 298, 299
  Yellow coat color **294**-298, **433**-444
MICHAELIS, B. 318, *389*
MICHAELIS, L. 94, *95*
Microtus 298
Midgets (see dwarfs) 322, 346, 377
Mid-parent 341
MIES 319
Mignonette 521
MILES, FRANK C. 413, *416*
MINER, J. R. 80, *81*, 421
Mirabilis 29, 262, 414
Mirabilis jalapa 391
Modification by changed environment 220
Modification of genetic factors (see mutations) 28, 32, 33, 220
Modifier 444
MONDIÈRE 319
Mongoloids, statures 346
Monoecism 506
MORGAN, T. H. 29, *35*, 82, 83, 84, 85, 89, 91, 92, 93, *95*, *273*, 293, *300*, 302, 303, *304*, 433, *444*, 457, 469, 470, *479*, 522, 523, 525, 531, 549, *608*
Morphogenesis 434
Mortality 418-420
  Domestic fowl 418-420
  Mice 434, 435
Mosaic pericarp, maize (see also variegated pericarp) **261**-280
MOWBRAY, WM. 509, *608*
Mulattoes, statures 373
Mullein thrips 480
MÜLLER, FRITZ 512, 513, 514, 515, 516, 517, *608*
MULLER, H. J. *35*, 89, 90, 92, *95*, 302, 303, 304, *304*, 342, *389*, *479*
Multiple allelomorphs 93
  Maize 29-31, 34, 264, 278-280
  Mice 433
  Nicotiana 532, 601, 604
Multiple factors 314, 342, 344, 382, 387
Multiple dominance **255**, 258
MUNCEY, ELIZABETH B. 314, 327, 339, 350
MUNRO, R. 509, 510, 517, *608*
Mutation 305, 312
  Drosophila 446, 449, **451**, 453-456
  Maize 1, 2, **9**, 14-16, 18, 23, 25, 26, 29, 30, 33, 264
  Mice **291**-300
  Oenothera 249, 250
Mutation crosses 249-251
MYERS, C. H. 32
NAGAHAMA 319
NAPOLEON, 315, 316
Narrowing gene (factor for bar eye) 452
Nasturtium tanacetifolium 518
Natural selection **305**-312, 513, 515, 524
NAUDIN, CH. 528
Negative correlation 59, 210, 285, 287, 289
Negative factors 327
Negrito statures 375
Negro statures 322, 346-349, 352, 353, **373**-375, 387
NESENSOHN, CHAS. 377
Nicotiana 235, 236, 507, 525, 527-607
  Corolla color 540
  Intra-sterile, inter-fertile classes 547-605
  Parthenocarpy 581
  Pollen tube growth 236, 512, 519-521, 531, 549, 603
  Pseudo-fertility 525, 531, 533, 537, 539, 541, 548, 553, 555, 560, 562, 567, 571, 584, 594 598, 599-601, 605
  Self-fertility 555
  Self-sterility 235, 236, 528-607
Nicotiana alata 520, 528, 529, 532-539, 555, 557, 561-566, 592, 595, 596, 598-605
Nicotiana alata grandiflora 235, 528
Nicotiana alata × *Forgetiana* 527, 555-559
Nicotiana angustifolia 528, 529, 532, 533, **599**-601
Nicotiana angustifolia crispa 528
Nicotiana commutata 528, 601
Nicotiana commutata × *Forgetiana* 596, 597
Nicotiana Forgetiana 235, 528, 529, 532-

Nicotiana Forgetiana (continued) 534, 537, 557, 559, 561, 566-574, 595, 596, **599**-605
Nicotiana Forgetiana × *alata* 235, **539**-559
Nicotiana glutinosa 528, 529, 532
Nicotiana Langsdorffii 528, 539, 555
Nicotiana Langsdorffii grandiflora 596
Nilsson-Ehle, H. 344, *389*, 393, 409, 413, *416*, 471, *479*
Nilsson, N. H. 250
Nohara, S. 415
Non-disjunction 447, 453, 455, 462
Norman-French, stature 352
Norwegian statures 348
Notylia 512, 513
Numerical results of breeding **97**-154, 489-504
Nutrition, effect on stature **323**
Oenothera
Abortive root system 178, 179, 181
Abortive seeds 166, 169, 170
Albinism 183
Annual forms 218-221, 223, 237-**239**, 240, 243
Blend hybrids 219, 220, 222-225, 227, 229, 230, 233, 234, 236-238, 245, 248, 251, 254-258
Caducous bracts 218, 233
Complementary factors 237
Crinkled leaves 218, 223, 225, 227, 230, 231, 233, 242, 256
Crossing over 253, 256, 257
Cut leaves 219, 227
Delayed germination 157, 165, 168, 169, 176, 179, 181, 184
Double number of chromosomes 183
Double reciprocal hybrids 156, **158**-**162**, 167-**171**, 174-**178**-**180**-**182**, 184, 246
Dwarfs 165, 170, 171, 173, 174, 178-181, 184, 244, 247, 250, 258
Earliness 238
Elimination of factors 251
Etiolation 164, 174, 178, 244, 247, 250, 258
Fasciation 217, 237-239
F_1 breeding true 224, 225, 241, 252, 253, 256, 258
Fertility 157, 224, **237**
Furrowed leaves 224, 229-231, 242, 256
Germination of seeds 157, 162-165, 167-173, 180
Heterogamy 247
Iterative hybrids 156, **165**, **166**-170, **173**, **174**-177, 182, **183**, 244-246
Latency 254, 255
Linkage 177 ,184, 231, 253, 256, 257
Matrocliny 166, 178, 247
Merogony 252
Midveins, red vs. white 215-218, 221, 223, 225, 230, 232
Multiple dominance **255**, 258
Mutation 249, 250
Oenothera (continued)
Mutation crosses 249-251
Ovule powder 169, 182, 183
Paedogenic rosettes 220
Papillae, red vs. green 159, 160, 171-178, 218, 231
Patrocliny 156, 166, 178, 242, 246, 247, 252, 256, 258
Permanent dominance 252, 258
Physiological homozygotes 252, 253, 255, 256, 258
Plaited petals 223, 228
Pollen 4-6 lobed 162
Pollen sterility 161, 162, 166, 169, 235
Prostrate branches 240
Quadruple hybrids **213**-258
Red-spotted rosettes 180, 218, 221
Seed sterility 157, 175, 179, 181, 184
Segregate hybrids 242, 252
Segregation 175, 181, 184, 251
Selective dominance 252, 253
Selective elimination 161, 165, 166, 184
Selective hybrids 220-224, 226, 227, 231, 233, 242, 248, 251, 253, 256-258
Self-sterility 160, 162, 182, 220, 224, 233, 236, 238, 240, 241, 246, 257
Sesquireciprocal crosses 156, 163, 164, 167, 169-178, 182, 183, 244, 245
Seven-carpeled pod 218, 239
Short-circuit forms 219, 220
Splitting in F_1 215, **248**
Stable and unstable dominance **252**, 253, 258
Stems, red vs. green 171-173, 178, 215-218, 220, 223-227, 231, 233, 242, 255
Triple hybrids 249-251
Triploidy 162, 183
Twin hybrids 249, 251, 254
Variegation 391
Oenothera angustissima 240
Oenothera atrovirens 252
Oenothera biennis 156-**158**-164, 166-**170**-172, 174-181, 184, 213, 215, 216, 252
Oenothera biennis Chicago 251
Oenothera biennis × (*biennis* × *franciscana E*) **173**, 175, 176, 177
Oenothera biennis × *franciscana E* 177
Oenothera biennis × (*franciscana E* × *biennis*) **171**, 175, 177, 178
Oenothera (*biennis* × *franciscana E*) × *biennis* **172**, 175, 176, 177
Oenothera (*biennis* × *franciscana E*) × *franciscana E* **173**, 175, 176, 177
Oenothera (*biennis* × *franciscana E*) × (*franciscana E* × *biennis*) **170**, 175, 176, 177
Oenothera biennis × *grandiflora* **178**, 179, 181
Oenothera (*biennis* × *grandiflora D*) × (*grandiflora D* × *biennis*) **178**, 179
Oenothera biennis × (*biennis* × *muricata*) **165**, 168, 169

Oenothera biennis × *muricata* 158, 163-165, 168, 169, 247
Oenothera biennis × (*muricata* × *biennis*) **163**, 169
Oenothera (*biennis* × *muricata*) × *muricata* **165**, 168, 169, 176
Oenothera (*biennis* × *muricata*) × *biennis* **163**, 168, 169
Oenothera (*biennis* × *muricata*) × (*muricata* × *biennis*) **158**, 168, 169
Oenothera Cockerelli 247, 251
Oenothera franciscana 157, **170**-177, 184
Oenothera franciscana × *biennis* 177, 180
Oenothera (*franciscana E* × *biennis*) × *biennis* **174**-177
Oenothera (*franciscana E* × *biennis*) × (*biennis* × *franciscana*) **171**, 175, 177
Oenothera franciscana E × (*biennis* × *franciscana E*) **172**, 175, 177
Oenothera (*franciscana E* × *biennis*) × *franciscana E* **173**, 175-178
Oenothera franciscana E × (*franciscana E* × *biennis*) **173**, 175-177
Oenothera gigas **181**, 183, 184
Oenothera gigas × (*gigas* × *muricata*) **183**
Oenothera gigas × *muricata* 182
Oenothera (*gigas* × *muricata*) × *muricata* **183**
Oenothera gigas × (*muricata* × *gigas*) **182**, 183
Oenothera (*gigas* × *muricata*) × *gigas* **182**
Oenothera (*gigas* × *muricata*) × (*muricata* × *gigas*) 182
Oenothera mut. *gracilis* 244, 247, 250, 258
Oenothera grandiflora 157, 178-181, 184, 234
Oenothera grandiflora D × *biennis* 178-**180**, 181
Oenothera (*grandiflora D* × *biennis*) × (*biennis* × *grandiflora*) **180**
Oenothera Hookeri 247, 251
Oenothera hyb. *laeta* 251
Oenothera Lamarckiana 170, 174, 234, 249, 250
Oenothera lata 251, 254
Oenothera lata-laeta 251
Oenothera muricata 156-**158**-165, 167-170, 174-176, 179, **181**, 183, 184, 252
Oenothera muricata × *biennis* 163, 165-169
Oenothera (*muricata* × *biennis*) × (*biennis* × *muricata*) **162**, 169
Oenothera (*muricata* × *biennis*) × *muricata* 163, **164**, 168, 169
Oenothera (*muricata* × *biennis*) × *biennis* **166**-169
Oenothera muricata × (*muricata biennis*) **165**-169
Oenothera muricata × *gigas* 181-183
Oenothera (*muricata* × *gigas*) × *gigas* 182, **183**
Oenothera (*muricata* × *gigas*) × *muricata* **182**, 183
Oenothera muricata × (*gigas* × *muricata*) **182**
Oenothera muricata × (*muricata* × *gigas*) **183**
Oenothera (*muricata* × *gigas*) × (*gigas* × *muricata*) 182
Oenothera nutans **213**-258
Oenothera hyb. *nutella* 214, 219, 220, 222, **223**, 225, 226, 228-248, 251, 253-258
Oenothera nutans × *nutella* 244, 250
Oenothera nutans × *pycnocarpa* 214, 217, 220-258
Oenothera hyb. *pycnella* 217, 220-222, **224**, 226-232, 234, 237-248, 251-254, 256-258
Oenothera pycnocarpa **213**-258
Oenothera pycnocarpa × *nutans* 219, 221, 223-258
Oenothera strigosa 247
Oenothera hyb. *tortuella* 223, **225**, 226, 231, 233, 241, 243, 245, 248, 251, **252**, 255-257
Oenothera hyb. *tortuosa* 217, 222-224-228, 230, 234, 237-248, 251-258
Oenothera hyb. *velutina* 251
Oenothera venosa 252
Olson, P. J. 265
Oncidium Cavendishianum 512
Oncidium divaricatum 510
Oncidium divaricatum cupreum 511
Oncidium flexuosum 510, 512, 513
Oncidium microchilum 511
Oncidium ornithorhynchum 511
Oncidium sphacelatum 510
Oncidium unicorne 512
Onslow, H. 93, 95
Oöcytes, diminution with age 431
Orchansky 319
Orchids 507, 510, 512, 513, 514
Orthogenesis 312
Orthoptera 486
Osborne, T. B. 323, 325, *389*
Overfeeding ineffective on stature 323
Ovules per pod, Phaseolus **282**-290
Oxalis 515
Paedogenic rosettes, Oenothera 220
Palmer, L. S. 73, 77
Paramecium 78, 81
Park, J. B. **505**
Parthenocarpy 581
Parthenogenesis, Anthothrips 480-482, 484-488
Particulate inheritance, segments of stature **365**
Partial albinism 291, 292, 293
  Mice **291**-293, 433-443
  Oenothera 391
  Plantago **390**-415
Partial correlations (biserial *r*) 205-212

Partial dominance 476, 478
Passiflora 507, 517
Passiflora alata 509, 510
Passiflora Bellottii 509
Passiflora coerulea 509, 510
Passiflora fulgens 509
Passiflora holosericea 509
Passiflora kermesina 509
Passiflora laurifolia 509
Passiflora quadrangularis 509
Passiflora racemosa 509
Paternal and maternal chromosomes in separate groups 235
Patrocliny 156, 166, 178, 242, 246, 247, 252, 256, 258
Pattern characters (see also piebald, spotting, and variegation) **261**-280, 433
PEARL, RAYMOND **78**, 80, *81*, 321, *389*, **417**, 418, 419, 429, *432*, 496, 497, 501, *504*
PEARSON, K. 205, 207, 210, *212*, 283, 317, 345, 346, 381, *389*
Peas 467-469, 478
Pedigree chart, mice 296
Pelargonium 477
PELLEW, C. 467, 468, 469, 478, *479*
Permanent dominance *252*, *253*, 258
Peromyscus **291**-300
Peromyscus leucopus noveboracensis 293
Peromyscus leucopus ammodytes 293
Peromyscus maniculatus 298
Peromyscus maniculatus gambeli **294**-298
Peromyscus maniculatus rubidus 291, 298, 299
Peromyscus maniculatus sonoriensis 291, 294, 298
Peronospora, resistence to 214, 220, 232, table 1
Peronospora Arthuri 216
Personal equation 188
Petunia nyctaginiflora 519
Petunia violacea 519
Phaseolus, 187, 205, 210, 212, **283**-290
PHILLIPS, J. C. 298, 342, 344, *388*, *389*
Phylloxerans, origin of males 487
Physiological characters 431
Physiological homozygotes, Oenothera 252, 253, 255, 256 258
Physiology of reproduction **417**-432
Pineal body 324 325
Pinus strobus 248
Pituitary body 324, 325
Plantago **390**-415
  Albinism 405
  Carbon assimilation 391, 392
  Colorimetric tests 411, 412
  Cotyledons green in variegated race 390, 395, 398
  Duplicate genes 393-413, 415
  Genetical formulae 397, 404
  Germination rate 399, 401, 403, 407
  Green plants from variegated **413**, 415
Plantago (continued)
  Polymery **409**, 412, 415
  Selective elimination 399, 401, 406
  Variegation **390**-415
Plantago major 390
Plantago major asiatica 390, 415
PLATE, L. 380, 409, *416*, *corrigenda*
Plural determiners 410
Point binomial 475, 549, 552, 553, 560, 602, 606
Poisonous action of pollen 512
Pollen fertility 538
Pollen grains 4-6 lobed 162
Pollen sterility 161, 162, 166, 169, 235, 538
Pollen tube growth 235, 236, 512, 518, 519, 521, 531, 549, 603
Polygamy 426
Polymery 393, 409-413, 415
Polynesian statures 322
Pome fruits 518
PONCET, A. 324, *389*
POPE, T. H. 94, *94*
Positive factors 327
Potato, tuber lines 32
Potential biotypes 365, 387
Poultry breeding 417-432
Poultry breeding index 419, 420
Preference factor 329, 330
Presence and absence theory 85, 86, 89, 446, **454**, 455
PREUSS, J. D. E. 315, *corrigenda*
Primary non-disjunction 463
Primula 514
Primula sinensis 517
Primula sinensis rubra 531
Prenatal mortality
  Fowl 418-420
  Mice 434, 435
Probable error of a difference **78**-81
Probability integral 207
Pro-chromosomes 301
Progression
  Man 341
  Oenothera 238
Prostrate branches, Oenothera 240
Pseudo-fertility 510, 516, 519, 521, 525, 531, 533, 534, 537-539, 541, 548, 551, 553, **555**, 560, 562, 567, 571, 584, 594, 598-601, 605, 606
Puberty 320, 321, 349
PUNNETT, R. C. *389*
Pure lines 32, 250, 261, 305
Purity of gametes 278
Quadruple hybrids, Oenothera **213**-258
Quantitative characters 344, 469, 476
QUETELET, A. 319
Rabbits 345
Rachitis 380
Racial differences 315, 319, 322, 325, 352, 375
Random mating **103**, **105**, **111**, **114**, 143-147, **490**, 491, **496**, 502, 503
Rapistrum rugosum 518
Rats 292, 299, 323

RAWSON, A. 509
Recessive factors 327
Recessives giving rise to dominants 414
Reciprocal crosses (see also double reciprocals) 537
  Amaryllis 509
  Cardamine 520
  Maize **271**
  Man 328, 339
  Mice 438
  Nicotiana 542, 543, 546, 550, 553-560, 565, 569, 571, 573, 576, 577, 580, 584, 586-589, 593-595, 597, 598, 600, 602, 606
  Oenothera 178, 220, 221, 226, 242, 243, 247
  Plantago 390, 393
Recombinations, Oenothera 248
Recurring somatic variation 414
Reduplication 607
REDWOOD, C. W. 5, 8
Regression 341, 385
  Domestic fowl 49-51, 54-61, 64, 66, 67
  Man 317, 332, 336-341, 344, 385
  Phaseolus 192-202, 210, 211
Regression due to recessive genes 341
Regression line method 192, 197-199, 201, 202, 210, 211
REMICK, B. L. 99, *141*, 490, 493, *504*
Reproductive ability, domestic fowl **417**-432
Reproductive index **417**-432
Reproductive index, change in 427
Reseda lutea 514
Reseda odorata 514-516, 521
Restriction factor 433, 434
Reverse mutation 30
Rheumatism and internal secretions 325
Rhode Island Red fowl 37
RIDDLE, O. 73, 74 *77*
RIMPAU, W. *608*
RIPLEY, W. Z. 325, *389*
RISCHBETH, H. 315, 375, 381, *389*
RIVIÈRE 512
ROBERTS 319
ROBBINS, RAINARD B. **489**
ROBINSON, J. H. 425, 431, *432*
Rodents, color factors 434
Rodriguezia 512
ROGERS, C. A. 73, *77*
ROSENBERG, O. 235, *259*
Russian statures 319, 352, 353
SACHS, J. 391
Salmon, pigment of eggs 74
Sanguinaria 282
SARGENT, D. A. 345, 353
Scarlet fever and internal secretions 325
SCHACHT, H. *609*
SCHENCK 73
SCHRÖDER, K. 318, *389*
SCHULTZ, A. F. 265
SCHWERZ 352
Scoliosis 326
Scotch statures 315, 322, 325, 339
SCOTT, JOHN 510, 512, *609*
SCUDDER, MARY T. 314, 347, 350
SEAVER, J. W. 320
Seaver rod 327, 350
Secale cereale montanum 518
Seed fertility 157
Seed production, capacity for 287
Seed sterility 175, 179, 181, 184, 538
Segments of stature, man **344-349-351-355-359-365-367**-374, 376, 378, 386, 387
Segregate hybrids, Oenothera 242, 252
Segregation 293
  Maize 9, 270, 271, 276, 278, 279
  Man 357, 370
  Mice 291, 297
  Mirabilis 414
  Oenothera 175, 181, 184, 251
  Plantago 396-398, 401, 402, 404, 407-409, 412, 415
  Senecio 413
Selection 32, 61, **78**, **116-118**, **119-123**, 124, 145-150, 265-278, 280, **305**-312, 537
  Clones 32
  Domestic fowl 61
  Dominants **116-118**, **119**, 145-149
  Maize **265**, 267-**271-274**, **276**-278, 280
  Natural **305**-312, 513, 515
  Nicotiana 537
  Oenothera 253
  Paramecium **78**-81
  Pure lines 32, 261
  Recessives **123**, 149
  Tuber lines 32
Selection index, poultry 419
Selective dominance 252, 253
Selective effect of deficiency 456
Selective elimination (see also lethals) 165, 166, 184, 306-312, 406, 436, 443, 444, 541
  Dominants 307-309, 311
  Mice 434-436, 443, 444
  Oenothera 161, 165, 166, 184
  Plantago 399, 401, 406
  Recessives 309-311
Selective fertilization 436, 438, 444, 530, 535, 536, 550
Selective hybrids, Oenothera 220-224, 226, 227, 231, 233, 242, 248, 251, 253, 256-258
Selective mating (see also assortative mating) **328**-330, 386
Self color 433, 439, 442
  Maize 1-7, **9**-18, 20, **23**-31, 33, 34, 262-269, **271-273**-276, 278-280
  Mice 433, 434, 436-442
  Plantago 390, 392, 393, 404, 415
Self-fertility (see also pseudo-fertility) 555
Self fertilization **134**, 153, 154, 526
Self-impotence (see self-sterility) 506

Self-incompatibility (see self-sterility) 506
Self-sterility **505**-606
Abutilon 513-515, 537
Aethionema 518
Alyssum 518
Amaryllis 509
Antirrhinum 522
Bignonia 513
Burlingtonia 512
Cardamine 518-521
Cichorium 525-530
Ciona 506, 522-524
Corydalis 517, 518
Dianthus 510
Eschscholtzia 514
Gladiolus 509
Hesperis 518
Hippeastrum 508
Hugueninia 518
Iberis 518
Lilium 518
Lobelia 510
Lobularia 518
Nasturtium 518
Nicotiana 525, 528-606
Notylia 512, 513
Oenothera 160, 162, 182, 220, 224, 233-236, 238, 240, 241, 246, 257
Oncidium 510-513
Oxalis 515
Passiflora 507, 509, 510, 517
Petunia 518
Rapistrum 518
Reseda 514-516, 521
Rodriguezia 512
Secale 518
Senecio 514, 515
Sobolewskia 518
Verbascum 507, 508, 510
Zephyranthes 508
Self sterility factor 603
Self sterility a Mendelian recessive 521
Self sterility a sporophytic character 536, 600, 602
Senecio cruentus 514, 515
Senecio vulgaris lanuginosus 413
Senecio vulgaris praecox 413
Series in breeding problems **493**, **494**, **495**, **496**, 501
Sesquireciprocal crosses 156, 163, 164, 167, 169-178, 182, 183, 244, 245
SETCHELL, W. A. 528, *609*
Seven-carpeled pod, Oenothera 218, 239
Sex dependent upon fertilization 487
Sexual adolescence, poultry 430
Affected by pituitary secretion, man 324
Sex determination
Anthothrips **480**-488
Drosophila 446, **455**
Sex-linked inheritance 332, 445, 447, 449, 453, 455, 456
Sex ratio **484**-488
Sexual differences in stature 315, 319, **322**, 327
SHEERIN, GRACE 529
SHEPPARD, W. P. 207, *212*, 424
Short-circuiting forms, Oenothera (see also annual forms) 219, 220
Shortening factors, man 332, 340, 344, 355, 367, 370, 382, 385, 387
SHULL, A. FRANKLIN **480**, 488, *488*
SHULL, G. H. 254, *259*, 393, 410, 413, 415, *416*, 466, 468, 471, 476, *479*, 525, 526, *527*
Sikhs, stature 348
Sitting height, man 348, 349, 351, 352, 386
Size inheritance (see also stature) 468, 469
Skewness, 54, 469, 472
Skipping of generations 380
SMITH, F. 298
Sobolewskia clavata 518
Somatic mutation 1, 2, 9, 15, 16, 18, 20, 23, 25, 29, 30, 262-264, 414
Somatic segregations 263
Species hybrids 256
Specific-mating method 326
Spermatozoa, female-producing and male-producing 486
Splitting in F_1 215, 246, 248, 250, 251
Splitting in F_2 (see also segregation) 252, 253, 256-258, 291
Sporophytic mutations (see somatic mutation)
Sports 291
SPRENGEL, C. K. 508, *609*
Stable dominance, Oenothera 252, 253, 258
Stages of growth 317-319
Standard deviation 41, 42, 79, 193, 284, 287, 342, 343, 355, 424, 425
Standard proportions of segments of stature 351, 373
Staphylea 282
Starvation, effect on stature 323
Stature, man **313**-387
Absolute length of stature segments **355**
Steers, growth of 324
Sterility (see also cross-sterility, pollen-sterility, pseudo-fertility, seed-sterility, self-sterility) 528, 602
Drosophila 462, 463
Intra-class sterile groups 569
Maize 477
Man 315
Oenothera 165, 166, 170, 183, 234-238
STOMPS, T. J. 90, *95*
STOUT, A. B. 263, *281*, 506, 524, 525, 526, 527, 528, 530, *609*
STRASBURGER, E. 235, 248, *260*
STRATZ, C. H. 318, 348, 350, *389*
Struggle for existence (see also natural selection) 524

STURTEVANT, A. H. *35*, 89, 91, 92, *95*, **301**, 302, 303, 304, *304*, 433, *444*, *479*
Subordination of factors (permanent recessiveness) 251, 253
Sudan III 73, 74
SUMNER, F. B. **291**
Supernumerary legs, Drosophila 531
Supernumerary Y chromosome 453
SURFACE, F. M. 321, *389*, 418, 419, 429, *432*
Susceptibility to disease 214, *220*, *232*, and table 1, 477, 522
SWINGLE, W. T. 254, *260*
Swiss statures 353
Symmetrical distribution of quantitative characters 473, 475, 478
Symmetrical organs, correlations 345
Syphilis and internal secretions 325
Syringa persica 235
Syringa rothomagensis 235
Syringa vulgaris 235
Systems of breeding **97**-154, 489-504
Tadpole, development 317
Tallness (see also stature) 468
TAMMES, TINE 344, *389*
TANDLER, J. 324, *389*
Tarnished plant bug 214
Tartars, statures 352
Tasseling of maize 321
Technique
  Breeding
    Anthothrips 480, 481
    Maize 2-4, 264
    Nicotiana 530, 541
  Color determination 38, 411
  Computation (see also formulae) 192, 193, 207
  Culture, Oenothera 249
  Recording data 66, 327, 350
Temperature and flower color, Primula 531
Teratological dwarfness 375
Thick stems, Primula 467
THOMAS, N. *259*
Thrips 480, 488
Thyroid secretion and stature 321, 324, 325, 382
Tibia length, 324, 345, 386
Tobacco (see also Nicotiana) 469
Torso-length 349, 351, 352, 354, **355**, 356, 361, 364-**367**-370, 373-375, 386
Tragopogon porrifolius 507
Tragopogon pratensis 507
Trimorphic flowers 515
Triple hybrids 250, 251
Triploidy 162, 183
Triticum vulgare 248
TROW, A. H. 413, *416*
TRUE, R. H. *27*, *35*
Tryptophan and growth 323
TSCHEPOURKOWSKY 319
Tuberculosis and internal secretions 325
Twin hybrids 249, 250, 251, 254
Unfavorable characters 471, 472, 477
Unfertilized eggs producing males 481, 484, 486, 487
Unilocular fruit **186**-203, **205**-212, 282-290
Unit-characters 305
Unit-factor constancy (see factorial constancy) **29**, 32
Unstable dominance **252**, 253
Unticked coat pattern (see self color) 433
Variability in correlations 285, 287
Variability index ($=\sigma$) 328
Variegation
  Antirrhinum 29, 261
  Coleus 263
  Maize **1**-34, 261-281, 413
  Mirabilis 29, 262, 391
  Oenothera 391
  Plantago **390**-415
Vegetative vigor of hybrids (see heterosis) 162, 515, 526
Vegetative hybridization 414
VEJDOVSKY, W. 301
Verbascum, self sterility 507
Verbascum austriacum 510
Verbascum blattaria 507, 508
Verbascum lychnitis 508, 510
Verbascum nigrum 508, 510
Verbascum phlomoides 508
Verbascum phoenicеum 507, 508
Verbascum thapsus 508, 510
Vertebrae as elements of stature 316
Vigor related to age of parents, poultry 417
Vigor of heterozygosis (see heterosis) 524
VILMORIN, L. L. 517
VINCENT, C. C. 518, *608*
Virgin females 480-482, 485
Vital allelomorphs 448, 449, 451, 456
Vital force 305
Vitality, poultry 425
Vitello-lutein and vitello-rubin 73
VON HANSEMANN, D. 431, *432*
WAITE, M. B. 518, *609*
WARNER, D. E. **36**, *37*, 65, *72*, *77*
WARREN, HOWARD C. **305**
Weak constitution 399
WEBBER, H. J. 32
Weight affected by overfeeding 323
WEINBERG, W. 382, *corrigenda*
WENTWORTH, E. N. 99, *141*, 490, 493, *504*
Wheat 250
WHITE, O. E. 529, 551
White-bellied mice 432, 434, 438
White Leghorn fowl 66
White plants (see albinism) 405, 413
Whooping cough and internal secretions 325
WILLIAMS, C. B. 488
WILLSTÄTTER, R. 73
Withholding of spermatozoa 487
WRIGHT, SEWALL 99

Wyandotte fowl 37
Xanthophyll in eggs of fowl 73
X chromosome 445-465
XXY female 446, 447
Y chromosome 453
Yellow coat color, mice 37, 293-**294**-298, **433**-444
Yellow ear lobes, fowl 37-76
Yellowish green foliage, maize, and Pelargonium 477
Zea mays indentata 262
Zea mays indurata 264
Zephyranthes carinata 508
Zygoma posterior, rabbits 345
Zygotaxis 254
Zygotic selection 248
1 *n* condition and 2 *n* condition 472, 476, 478